



# SBC SWe Lite – Public Cloud

## Intelligent Edge™ – Enterprise Session Border Controllers for Cloud Deployments



Organizations are rapidly adopting cloud communications such as Microsoft Teams, Zoom Phone or one of hundreds of other Unified Communications as a Service (UCaaS) providers. As business move to cloud-based services, moving dial tone access and Session Border Controller (SBC) services to the cloud, rather than the premises, is a great option to reduce latency and simplify call flows.

Ribbon's Software Edition Lite (SBC SWe Lite), is communications security software purposefully designed to run in the Azure or Amazon Web Services (AWS) Cloud. It's thoughtfully architected to minimize compute resources, keeping monthly spend to a minimum. Of course that doesn't mean sacrificing industry leading communications security or powerful media management, including support for high fidelity SILK and OPUS voice encoding.

The SBC SWe Lite software protects communications infrastructure from Denial of Service (DoS)/Distributed DOS (DDoS) attacks, maintains privacy, encrypts calls, and interworks with a wide variety of third-party SIP and legacy voice infrastructure devices/services, all while providing reliable, scalable performance that ensures maximum uptime and service availability.

Ribbon has been working closely with Microsoft for more than a decade so it should come as no surprise that the SBC SWe Lite is Microsoft certified for Microsoft Direct Routing.

The SBC SWe Lite is also certified with Zoom™, Cisco BroadSoft™, Yealink®, Poly® and tested with other popular cloud services and products.



Microsoft Certified for Direct Routing



Certified for Zoom Phone

### Key Capabilities

- Secure signaling, media, and management
- Robust media processing, including SILK & OPUS
- Denial-of-Service (DoS) and Distributed DoS (DDoS) attack prevention
- Available in the Azure Marketplace via Quick Launch
- Available in AWS via AWS CloudFormation Template
- 30-day trial license - upgrades to permanent license
- Perpetual and monthly licensing options
- Easy Configuration Wizard to simplify deployment
- Centralized management via EdgeView Service Control Center
- Support for redundant SIP trunks
- Microsoft Phone System emergency calling support (E911, ELIN)

Capabilities	SBC SWe Lite
Maximum Concurrent Calls	30 to 1000
Maximum Calls with Media Services (including high-fidelity SILK & OPUS voice encoding)	10 to 500
Maximum Encrypted Calls	300 to 1200
Call Recording Support (SIPREC)	✓
One-time Permant Licensing Option	✓
Monthly Licensing Option	✓
Microsoft Direct Routing	✓
Session Resiliency	✓

Note: Ribbon's SBC SWe Lite can also be deployed on local virtual machines. Ribbon's SBC 1000 and SBC 2000 appliances are also available, sharing the same software.

▶ [Click Here to Get a Quote for One of Our SBCs](https://go.rbbn.com/ribbon-sbc-quote)  
<https://go.rbbn.com/ribbon-sbc-quote>



## Part of an Industry Leading Portfolio of Real-time Security Solutions - from Ribbon Communications

The SBC SWe Lite for public cloud deployments represents one element of Ribbon's security portfolio. The SBC SWe Lite is also available for virtual machine deployments including Microsoft® Hyper-V®, VMware® vSphere® Hypervisor and Linux® KVM. Ribbon's SBC 1000 and SBC 2000 share the same software as the SBC SWe Lite, making them ideal for organizations that want an appliance or need analog or TDM ports for integration.



Ribbon also provides massively scalable SBCs for large enterprises and over 1,000 of the world's leading communications service providers. In fact, there is a good chance that your communications service provider is already a Ribbon customer.



### Rapid Cloud Deployment – Easy to Set-up and Use




Ribbon has made it easy to deploy an SBC SWe Lite instance in the Azure or AWS cloud. Use the Quick Launch offer in Azure or a CloudFormation Template in AWS. We even provide a 30-day trial license to test the solution before you buy. The SBC SWe Lite includes a built-in Easy Configuration Wizard that is pre-populated with sought-after cloud UC services and service provider configurations, making deployments as simple as point and click. Most importantly, the SBC SWe Lite has been successfully deployed tens of thousands of times to secure communications for organizations of all sizes, across the globe.

### Centrally Managed from EdgeView Service Control Center

Ribbon SBC SWe Lite is centrally managed via the EdgeView Service Control Center. The EdgeView provides streamlined access to SBC SWe Lite management interfaces and simplified access to cross location centralized reporting. The EdgeView platform manages heterogeneous deployments of EdgeMarc elements, SBC 1000 & SBC 2000 appliances and SBC SWe Lite instances in data centers or public cloud. Customers can manage far-flung networks, monitor performance and quickly remediate issues to improve user experience and reduce operational costs.



Easy to use configuration wizard



Easily spot issues across thousands of instances



PSTN Access



VoIP Firewall



NAT/DHCP




WAN Resiliency



Back-up Call Server



Call Recording Support



Voice Quality Monitor



Traffic Shaper

The Ribbon SBC SWe Lite is cloud-based software that provides a comprehensive solution to secure and manage communications

## SBC SWe Lite – Public Cloud

Features and Capabilities	Specifications
<b>Security</b>	<ul style="list-style-type: none"> <li>• TLS (Transaction Layer Security) for signaling encryption - TLS 1.2 (RFC 5246)</li> <li>• Secure Real-time Transport Protocol (SRTP) &amp; Control Protocol (SRTCP) for media and media control encryption (RFC 3711)</li> <li>• Multiple unique X.509 public key certificates/PKCS #12 files (up to 11)</li> <li>• Wildcard certificate support</li> <li>• Topology hiding; user privacy</li> <li>• Prevention of Denial-of-Service (DoS) and Distributed DoS (DDoS) attacks</li> <li>• Traffic separation (VLAN interface separation)</li> <li>• Malformed packet protection</li> <li>• Access Control Lists (ACLs)</li> <li>• IPsec VPN tunnel</li> <li>• NAT/NAPT and port forwarding; NAT traversal</li> </ul>
<b>Protocol Support</b>	<ul style="list-style-type: none"> <li>• SIP (RFC 3261) over UDP, TCP, TLS</li> <li>• RTP/RTCP/RTCP-XR (RFC 3550, 3551, 3611)</li> <li>• RTP/RTCP multiplexing over single UDP port (RFC 5761)</li> <li>• IPv4, IPv6, and IPv4/IPv6 interworking</li> <li>• DHCP server &amp; client (RFC 2131)</li> <li>• Network Address Translation – NAT (RFC 2663)</li> <li>• SNMPv2c, SNMPv3</li> <li>• HTTPS</li> <li>• RIPv2, OSPF as dynamic IP routing protocols</li> <li>• TDM Signaling (ISDN): AT&amp;T 4ESS/5ESS, Nortel DMS-100, Euro ISDN (ETSI 300-102), QSIG, NTT InsNet (Japan), ANSI National ISDN-2 (NI-2)</li> <li>• TDM Signaling (CAS): T1 CAS (E&amp;M, Loop start); E1 CAS (R2)</li> </ul>
<b>Media Services</b>	<ul style="list-style-type: none"> <li>• G.711, G.722, G.722.2 (AMR-WB), G.723.1, G.726 (32 kbps), G.729A/B (8 kbps), T.38, SILK-NB/WB media encoding</li> <li>• Video interworking</li> <li>• Session Recording Protocol support - SIPREC (RFC 7866)</li> <li>• DTMF support (RFC 4733), Inband DTMF, and SIP INFO (RFC 2833)</li> <li>• Voice Activity Detection (VAD)</li> <li>• G.168 Echo cancellation with standard 128 ms tail length</li> <li>• Comfort noise generation and packet loss concealment</li> <li>• Music on hold</li> <li>• RTP inactivity monitoring (inactive call detection)</li> </ul>
<b>Quality of Service (QoS)</b>	<ul style="list-style-type: none"> <li>• Bandwidth management</li> <li>• Call Admission Control (CAC) to deny inappropriate calls</li> <li>• P-time mediation for rate limiting</li> <li>• Per-call statistics</li> <li>• Diffserv/DSCP marking</li> </ul>
<b>Routing/Policy</b>	<ul style="list-style-type: none"> <li>• Interactive Connectivity Establishment (ICE), full and lite support (RFC 8445)</li> <li>• Azure® and on-premises Active Directory®/LDAP-based call routing</li> <li>• Least cost, time of day and quality-based routing</li> <li>• On-board call forking (up to eight end points)</li> <li>• Supplementary services: call hold, call transfer (blind &amp; assisted) and call forward</li> <li>• SIP routing based on source and destination IP address or Fully Qualified Domain Name (FQDN)</li> <li>• One number fax support (single DID for voice and fax)</li> <li>• ITSP E911 support; 911 call preemption</li> </ul>
<b>Management Capabilities</b>	<ul style="list-style-type: none"> <li>• Single, secure, web-based GUI with real-time port monitoring</li> <li>• Easy Configuration Wizard, for quick provisioning between: <ul style="list-style-type: none"> <li>- SIP trunks, SIP phones, and SIP PBXs (e.g. Avaya® Aura® or Cisco® Unified Communications Manager)</li> <li>- Microsoft Direct Routing</li> </ul> </li> <li>• Centralized management from EdgeView Service Control Center</li> <li>• REST-based programmatic interface to remotely manage multiple SBCs</li> <li>• SNMP v2c/v3 for comprehensive network management using third-party management systems</li> <li>• Configuration backup and restore; upload from one site to another</li> <li>• CDR reporting and local logging for troubleshooting</li> <li>• Free Ribbon LX syslog server and log parser tool available</li> <li>• Authentication: local user (username/password), Active Directory®, RADIUS</li> </ul>
<b>Certified SBC for Microsoft Phone System &amp; Direct Routing (Teams)</b>	<ul style="list-style-type: none"> <li>• SILK-NB, SILK-WB codec support for improved Microsoft Teams user experience</li> <li>• Enhanced 911 (E911) and Emergency Location Identification Number (ELIN) Gateway Support</li> <li>• Media Bypass and Local Media Optimization support</li> <li>• Simplified migration from on-premises Skype for Business Server to Microsoft Teams</li> <li>• Support for multiple tenant-related Direct Routing deployments with Microsoft partners/PSTN carriers</li> </ul>

## SBC SWe Lite – Public Cloud

Features and Capabilities	Specifications	
Site Survivability	<ul style="list-style-type: none"> <li>IP route redundancy to UC provider, in case of ISP or router failure</li> <li>PSTN fallback in case of WAN failure</li> <li>Built-in SIP registrar for site survivability for SIP clients including Yealink® Teams and Poly® UC phones and conference bridges</li> <li>Multiple Spanning Tree Protocol, to prevent routing loops</li> </ul>	
SBC System Capacities - Cloud Resource-based	<p><b>Azure</b></p> <p><b>B series Burstable VM Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 10 (B1ms), 100 (B2s)</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 10 (B1ms), 100 (B2s)</li> <li>Maximum RTP ↔ SRTP sessions: 10 (B1ms), 100 (B2s)</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 10 (B1ms), 30 (B2s)</li> <li>Maximum number of registered users: 100 (B1ms), 500 (B2s)</li> </ul> <p><b>1 vCPU Azure VM Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 300</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 300</li> <li>Maximum RTP ↔ SRTP sessions: 300</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 120</li> <li>Maximum call setup rate: 10 cps</li> <li>Maximum number of registered users: 1,000</li> </ul> <p><b>4 vCPU Azure VM Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 1000</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 1000</li> <li>Maximum RTP ↔ SRTP sessions: 500</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 500</li> <li>Maximum call setup rate: 10 cps</li> <li>Maximum number of registered users: 5,000</li> </ul> <p>Please consult <a href="https://azure.microsoft.com">azure.microsoft.com</a> for information on VM availability and pricing.</p>	<p><b>Amazon Web Services (AWS) EC2</b></p> <p><b>Burstable T3.small Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 100</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 100</li> <li>Maximum RTP ↔ SRTP sessions: 100</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 30</li> <li>Maximum call setup rate: 10 cps</li> <li>Maximum number of registered users: 500</li> </ul> <p><b>c5.large Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 300</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 300</li> <li>Maximum RTP ↔ SRTP sessions: 300</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 120</li> <li>Maximum call setup rate: 10 cps</li> <li>Maximum number of registered users: 1,000</li> </ul> <p><b>c5.xlarge Instance Capabilities:</b></p> <ul style="list-style-type: none"> <li>Maximum total concurrent calls: 1000</li> <li>Encryption:               <ul style="list-style-type: none"> <li>Maximum TLS-encrypted SIP sessions: 1000</li> <li>Maximum RTP ↔ SRTP sessions: 500</li> </ul> </li> <li>Maximum transcode sessions (G.711 ↔ G.729, SILK): 500</li> <li>Maximum call setup rate: 10 cps</li> <li>Maximum number of registered users: 5,000</li> </ul> <p>Please consult <a href="https://aws.amazon.com">aws.amazon.com</a> for information on VM availability and pricing.</p>

▶ [Click Here to Get a Quote for One of Our SBCs](https://go.rbn.com/ribbon-sbc-quote) ■ <https://go.rbn.com/ribbon-sbc-quote>